

SEQUENCE LISTING

<110> Erikson, Glen
Daksis, Jasmine
Picard, Pierre

5 <120> HOMOGENEOUS ASSAY OF BIOPOLYMER BINDING BY
MEANS OF MULTIPLE MEASUREMENTS UNDER VARIED CONDITIONS

<130> E1047/20060

<140>

<141>

10 <160> 9

<170> PatentIn Ver. 2.1

<210> 1

<211> 50

<212> DNA

15 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: derived from
exon 10 of the human cystic fibrosis gene

<400> 1

20 tggcaccatt aaagaaaata tcattctttgg tgtttcctat gatgaatata 50

<210> 2

<211> 50

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: derived from
exon 10 of the human cystic fibrosis gene

<400> 2

5 tggcaccatt aaagaaaata tcgtctttgg tgtttcctat gatgaatata 50

<210> 3

<211> 50

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: derived from
exon 10 of the human cystic fibrosis gene

<400> 3

tggcaccatt aaagaaaata tactctttgg tgtttcctat gatgaatata 50

<210> 4

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: derived from
exon 10 of the human cystic fibrosis gene

<400> 4

atatcatctt tggtg 15

<210> 5

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

5 <223> Description of Artificial Sequence: derived from
exon 10 of the human cystic fibrosis gene

<400> 5

atatcatcta tgggtg 15

<210> 6

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: derived from
exon 10 of the human cystic fibrosis gene

<400> 6

atatcggcctt tgggtg 15

<210> 7

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: derived from
exon 10 of the human cystic fibrosis gene

<400> 7

ataccatatt tagtg 15

<210> 8

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: ssDNA probe wherein the 3' end of each base is covalently bonded to a lysine N-terminal leaving a free carboxyl group

<400> 8

caccaaagat gatat 15

<210> 9

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: ssDNA probe wherein the 3' end of each base is covalently bonded to a lysine N-terminal leaving a free carboxyl group

<400> 9

tatagtagaa accac